

RANGE	CODE	MODEL	FUNCTION
MI - IIO	CRI305890	NVBIO6E	Multipla

ITEM

Pass-through electric multi-cooker on open base unit with door



RANGE	CODE	MODEL	FUNCTION
MI - IIO	CRI3O589O	NYBIO6E	Multipla

ITEM

Pass-through electric multi-cooker on open base unit with door

DETAILS



RANGE	CODE	MODEL	FUNCTION
MI - 110	CRI305890	NVBIO6E	Multipla

ITEM

**Pass-through electric multi-cooker on open base unit with door**



**TECHNICAL SPECIFICATIONS**

WIDTH (mm):	600
DEPTH (mm):	1100
HEIGHT (mm):	870
WEIGHT (Kg):	102
VOLUME (m <sup>3</sup> ):	0.66
EL. POWER (kW):	8.1
VOLTAGE:	VAC400 3N
COOKING ZONES N°:	2
COOKING ZONE DETAILS:	2 x 4,05 kW
TANK DIM. (mm):	520x480x100h
TANK N°:	1
IP GRADE:	IPX5
TEMP. RANGE (°C):	50-280

**DESCRIPTION**


Pass-through floor standing electric multifunctional pan on open base unit with door, constructed in AISI 304 stainless steel. Rectangular stainless steel well measuring mm. 520x480x100h with AISI 430 stainless steel bottom. Two differentiated cooking zones. Armoured heating elements in Incoloy under the cooking tank. Thermostatic temperature control from 50°C to 280°C. Safety thermostat. Drain plug supplied, container runners and removable container. Indicator leds indicating correct appliance operation. Height adjustable feet in stainless steel. Doors not included.



RANGE	CODE	MODEL	FUNCTION
MI - IIO	CRI3O589O	NVBIO6E	Multipla

ITEM

Pass-through electric multi-cooker on open base unit with door



**INSTALLATION SPECIFICATIONS**

(E) Electrical Connection: **VAC400 3N 50Hz**

