


RANGE CODE MODEL FUNCTION

MI - 70 MAMCOOOO430 CV78EG Glassceramic Ranges

**ITEM** 

4 ceramic hotplate electric boiling top on open stand







RANGE CODE MODEL FUNCTION

MI - 70 MAMCOOOO430 CV78EG Glassceramic Ranges

ITEM

## 4 ceramic hotplate electric boiling top on open stand



#### **TECHNICAL SPECIFICATIONS**

WIDTH (mm):	800
DEPTH (mm):	750
HEIGHT (mm):	900
WEIGHT (Kg):	70
VOLUME (m <sup>3</sup> ):	0.8
EL. POWER (kW):	10
VOLTAGE:	VAC400-3N / VAC230-3
INTERNAL BASE UNIT DIM. (mm):	720x400(h)x700 mm
COOKING ZONES N°:	4
COOKING ZONES DIM. (mm):	4x Ø 250mm
COOKING ZONE DETAILS:	4 x 2,5 kW
IP GRADE:	IPX5

#### DESCRIPTION

Freestanding glass ceramic electric boiling top, on open cabinet base, in AISI 3O4 stainless steel. 2O/IO pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. 6 mm thick glass ceramic cooking surface hermetically sealed to the top and designed to create 4 independent cooking zones, each with underlying 2.5 kW Ø 25O mm radiant elements to reach maximum temperature of 4O0°C in 3 min. Glass dimensions 746x57I mm. The cooking zones are marked by screen printed circles on the glass-ceramic surface and equipped with residual heat indicators. Energy regulator for heat control with shape designed to prevent water infiltration, with integral indicator lights for instant recognition of appliance operation. Hotplates equipped with automatic reset safety thermostat that trips if the appliance is switched on with an unsuitable pan or no pan at all. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet.






RANGE CODE MODEL FUNCTION

MI - 70 MAMCOOOO430 CV78EG Glassceramic Ranges

**ITEM** 

# 4 ceramic hotplate electric boiling top on open stand



### **INSTALLATION SPECIFICATIONS**

(E) Electrical Connection: VAC4OO-3N/VAC23O-3 5O/6OHz

