

RANGE CODE MODEL FUNCTION

MI - 70 MAMCOOO2390 BA74EG Bain-Marie

**ITEM** 

Electric bain maire on open stand 1 x GN 1/1





RANGE CODE

MODEL FUNCTION

MI - 70

MAMCOO02390

BA74EG Bain-Marie

ITEM

## Electric bain maire on open stand 1 x GN 1/1



#### **TECHNICAL SPECIFICATIONS**

WIDTH (mm):	400
DEPTH (mm):	750
HEIGHT (mm):	900
WEIGHT (Kg):	40
VOLUME (m <sup>3</sup> ):	0.4
EL. POWER (kW):	1.8
VOLTAGE:	VAC23O-1
INTERNAL BASE UNIT DIM. (mm):	360x400(h)x700 mm
COOKING ZONES N°:	1
COOKING ZONE DETAILS:	1x 1,8 kW
TANK DIM. (mm):	350x5(5x(7O(h) mm
TANK N°:	CAPACITY (L): 9
	CONTAINERS MAX 150 H: mm
IP GRADE:	IPX5
TEMP. RANGE (°C):	O-90 °C

### **DESCRIPTION**

Freestanding electric bain-marie on open cabinet base, in AISI 3O4 stainless steel. 2O/IO gauge worktop, without flue apertures, fitted for insertion of water column accessory. Tank in AISI 3O4 stainless steel with radiused internal corners to facilitate cleaning. Sloping tank bottom for optimum drainage of water. Size no. I x GN I/I Designed to accommodate containers up to I5O mm deep. Armored heating elements located underneath the tank. Water temperature thermostatically controlled, with adjustment from 30°C to 90°C. Safety thermostat trips in the event of activation of heating without water in the tank, manual reset. Activation of heating signalled by an orange indicator light on the control panel. Automatic water filling. Appliance equipped with vertical overflow drain. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet.



RANGE CODE

MODEL FUNCTION


BA74EG


MI - 70 MAMCOO02390


Bain-Marie

ITEM

# Electric bain maire on open stand 1 x GN 1/1







### **INSTALLATION SPECIFICATIONS**

(E) Electrical Connection: VAC23O-1 5O/6OHz

(S) Output Drain: Ø 1/2"

