

MO - 70 CRI3O7I8O NEC74ECVG Electric Flush Mounted Hotplates

ITEM

2 electric flush mounted hotplates on open base unit







MO - 70 CRI3O7I8O NEC74ECVG Electric Flush Mounted Hotplates

ITEM

2 electric flush mounted hotplates on open base unit

DETAILS





MO - 70 CRI3O7I8O NEC74ECVG Electric Flush Mounted Hotplates

ITEM

2 electric flush mounted hotplates on open base unit



TECHNICAL SPECIFICATIONS

WIDTH (mm):	400
DEPTH (mm):	700
HEIGHT (mm):	870
WEIGHT (Kg):	87
VOLUME (m ³):	O.45
EL. POWER (kW):	6
VOLTAGE:	380-415 V 3 N
INTERNAL BASE UNIT DIM. (mm):	36Ox56Ox34O(h)
COOKING ZONES N°:	2
COOKING ZONES DIM. (mm):	300x300mm
IP GRADE:	IPX4
TEMP. RANGE (°C):	O-500 °C

DESCRIPTION

Electric range on open base unit constructed in stainless steel. Cooking top made of AISI 3O4 stainless steel supplied with 2 electric hotplates flush mounted with the worktop. Square hotplates dim. 3OOx3OO mm. in cast-iron with 3 kW output each. 6-position selector switch to adjust the temperature. Orange warning light on the control panel showing when heating is activated.

Hotplates equipped with automatic reset safety thermostat. Large grease drip pan under the worktop. Open base unit in stainless steel. Stainless steel adjustable feet.






MO - 70 CRI3O7I8O NEC74ECVG Electric Flush Mounted Hotplates

ITEM

2 electric flush mounted hotplates on open base unit



INSTALLATION SPECIFICATIONS

(E) Electrical Connection: 380-415 V 3N 50-60Hz

