

RANGE	CODE	MODEL	FUNCTION
MO - 70	CR1307370	NEFT74ELIVG	Griddles

Electric griddle top with smooth plate in AISI 43O stainless steel on open stand



The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice.



MO - 70	CR1307370	NEFT74ELIVG	Griddles
RANGE	CODE	MODEL	FUNCTION

Electric griddle top with smooth plate in AISI 43O stainless steel on open stand

DETAILS



The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice.



MO - 70	CR1307370	NEFT74ELIVG	Griddles
RANGE	CODE	MODEL	FUNCTION

Electric griddle top with smooth plate in AISI 43O stainless steel on open stand



TECHNICAL SPECIFICATIONS

WIDTH (mm):	400
DEPTH (mm):	700
HEIGHT (mm):	870
WEIGHT (Kg):	50
VOLUME (m ³):	0.4
EL. POWER (kW):	3.9
VOLTAGE:	380-415 V 3N
INTERNAL BASE UNIT DIM. (mm):	36Ox56Ox34O(h)
COOKING ZONES N°:	1
COOKING ZONES DIM. (mm):	396x555mm
PRODUCT SPECIFICATIONS:	Smooth Inox AISI 430 Plate
IP GRADE:	IPX4
TEMP. RANGE (°C):	O-280 °C

DESCRIPTION

Electric griddle on open base unit with smooth Aisi 43O stainless steel plate. Equipped with splash guard on three sides and a front drain channel to collect cooking liquids/fats towards a removable tray located under the cooking plate into the open base unit. Heating by armored heating elements positioned under the plate. One cooking zone controlled by an adjustable thermostat from O ° C to 30O ° C. Manual reset safety thermostat. Cooking surface 39.6x55.5 cm. plate-cleaning scarper supplied. Open base unit made of stainless steel. Height-adjustable feet in stainless steel. The product complies with the EC regulation 1935/2004 and the DM 21/03/1973 (Materials and Objects intended to come into contact with Food) MOCA.




The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE:



MO - 70	CR1307370	NEFT74ELIVG	Griddles
RANGE	CODE	MODEL	FUNCTION

Electric griddle top with smooth plate in AISI 43O stainless steel on open stand



INSTALLATION SPECIFICATIONS

(E) Electrical Connection:

380-415 V 3N 50-60Hz



The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: