

RANGE	CODE	MODEL	FUNCTION
MI - 60	CRO954989	TT3435EU	Induction Ranges

ITEM

Countertop single induction hob





The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: 20/1/2025



RANGE	CODE	MODEL
MI - 60	CRO954989	TT3435EU

ITEM

Countertop single induction hob



TECHNICAL SPECIFICATIONS	
WIDTH (mm):	340
DEPTH (mm):	405
HEIGHT (mm):	105
WEIGHT (Kg):	5
VOLUME (m ³):	0.05
EL. POWER (kW):	3
VOLTAGE:	VAC23O
COOKING ZONES N°:	1
COOKING ZONES DIM. (mm):	Ø230mm
COOKING ZONE DETAILS:	íx 3kW
IP GRADE:	IPX3

DESCRIPTION

Electrical induction plate in counter. Sealed 6 mm thick glass ceramic hob, pot detection system which activates heating upon presence of cooking receptacles. Appliance constructed in AISI 3O4 stainless steel. Equipped with one cooking zone with 3 kW output, diameter: 230 mm. Cooking zones marked with silk screened circles on the glass-ceramic surface. Control knob for selection of IO power settings Warning light that signals activation of appliance heating.

FUNCTION

Induction Ranges




The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: **20/1/2025**



MI - 60	CRO954989	TT3435EU	Induction Ranges
RANGE	CODE	MODEL	FUNCTION

ITEM

Countertop single induction hob



INSTALLATION SPECIFICATIONS

(E) Electrical Connection:

VAC23O 5OHz



The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: 20/1/2025