

RANGE CODE MODEL FUNCTION

MI - 90 MAMCOOO5170 PE98GII4V Boiling Pans

ITEM

Gas boiling pan I4O litre capacity, with indirect heating system and automatic condensed steam outlet







RANGE CODE MODEL FUNCTION

MI - 90 MAMCOOO5170 PE98GI14V Boiling Pans

ITEM

Gas boiling pan 140 litre capacity, with indirect heating system and automatic condensed steam outlet



TECHNICAL SPECIFICATIONS

WIDTH (mm):	800
DEPTH (mm):	920
HEIGHT (mm):	900
WEIGHT (Kg):	160
VOLUME (m ³):	1
GAS POWER (kW):	24
COOKING ZONES N°:	1
COOKING ZONE DETAILS:	Ix 24kW
TANK DIM. (mm):	Ø600mm
TANK N°:	CAPACITY (L): 140

DESCRIPTION

Freestanding indirect heating gas boiling pan in AISI 3O4 stainless steel. 2O/IO pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Tank base in polished AISI 3I6L stainless steel, walls in AISI 3O4 stainless steel. Thick insulating panels for thermal insulation of tank. Tank diameter 6OO mm, capacity I4O I. Cold or hot water filling via solenoid valves controlled by a selector; water tap located on top I I/2 safety drain tap with grip in heatproof material. Counter-balanced lid with 75° opening and handle offering front and side grip. Indirect heating with low-pressure steam generated by the water in the jacket: safe and easy operation thanks to pressure gauge, safety valve and compensating valve. Innovative control system with no water warning light; heating restarts after the water level in the jacket has been restored. Indirect heating with AISI 3O4 stainless steel burners positioned outside the jacket. Heat control knob shaped to prevent water infiltration, equipped with integral indicator lights for instant recognition of heating and correct operation of the appliance. Temperature controlled by an energy regulator. Gas valve with pilot burner and safety thermocouple. Automatic pilot burner electric ignition. Indirect heating version with automatic condensed steam outlet and water filling of the jacket. Model equipped with safety thermostat with reset button accessible to the user. Appliance equipped with stainless steel adjustable feet.






RANGE CODE MODEL FUNCTION

MI - 90 MAMCOOO5170 PE98GI14V Boiling Pans

ITEM

Gas boiling pan 140 litre capacity, with indirect heating system and automatic condensed steam outlet



INSTALLATION SPECIFICATIONS

(G) Gas Inlet:	ØI/2"
(AF) Cold Water Inlet:	ØI/2-H=IOOmm.
(AC) Hot Water Inlet:	ØI/2-H=IOOmm.

