

RANGE	CODE	MODEL	FUNCTION
MI - 110	CRI305850	NV104E	<b>Glassceramic Ranges</b>

ITEM

**Pass through 2 ceramic hotplate electric boiling top**



RANGE	CODE	MODEL	FUNCTION
MI - 110	CRI3O5850	NV104E	<b>Glassceramic Ranges</b>

ITEM

**Pass through 2 ceramic hotplate electric boiling top**

**DETAILS**



RANGE	CODE	MODEL	FUNCTION
MI - 110	CRI305850	NV104E	<b>Glassceramic Ranges</b>

ITEM

**Pass through 2 ceramic hotplate electric boiling top**



**TECHNICAL SPECIFICATIONS**

WIDTH (mm):	<b>450</b>
DEPTH (mm):	<b>1100</b>
HEIGHT (mm):	<b>250</b>
WEIGHT (Kg):	<b>38</b>
VOLUME (m <sup>3</sup> ):	<b>0.19</b>
EL. POWER (kW):	<b>8</b>
VOLTAGE:	<b>VAC400 3N</b>
COOKING ZONES N°:	<b>2</b>
COOKING ZONES DIM. (mm):	<b>370x700</b>
IP GRADE:	<b>IPX5</b>

**DESCRIPTION**


Pass-through electric cooker top with a glass ceramic worktop, made of AISI 304 stainless steel. Top with a 20/10 thickness, set-up for a head joint. Equipped with 2 separate cooking areas, each with radiating elements of 4 kW and controlled by a power regulator. 6 mm glass ceramic hob, hermetically sealed to the worktop. Maximum temperature 400 °C in 3 minutes. Dimensions of the plate are 370x700 mm. Hot areas are closed by screen printing on the glass and equipped with indication lamps for residual heat. Indicator lamps verify that the appliance functions properly.



RANGE	CODE	MODEL	FUNCTION
MI - 110	CRI3O5850	NVIO4E	Glassceramic Ranges

ITEM

Pass through 2 ceramic hotplate electric boiling top



**INSTALLATION SPECIFICATIONS**

(E) Electrical Connection: VAC400 3N 50Hz

