

RANGE	CODE	MODEL	FUNCTION
MI - IIO	CRI3O586O	NVIO9E	Glassceramic Ranges

ITEM

Pass through 4 ceramic hotplate electric boiling top




RANGE	CODE	MODEL	FUNCTION
MI - IIO	CRI3O586O	NVIO9E	Glassceramic Ranges

ITEM

Pass through 4 ceramic hotplate electric boiling top

DETAILS



RANGE	CODE	MODEL	FUNCTION
MI - IIO	CRI3O586O	NVIO9E	Glassceramic Ranges

ITEM

Pass through 4 ceramic hotplate electric boiling top



TECHNICAL SPECIFICATIONS

WIDTH (mm):	900
DEPTH (mm):	1100
HEIGHT (mm):	250
WEIGHT (Kg):	69
VOLUME (m ³):	0.37
EL. POWER (kW):	16
VOLTAGE:	VAC400 3N
COOKING ZONES N°:	4
COOKING ZONES DIM. (mm):	750x700
IP GRADE:	IPX5

DESCRIPTION


Pass-through electric cooker top with a glass ceramic worktop, made of AISI 304 stainless steel. Top with a 20/10 thickness, set-up for a head joint. Equipped with 4 separate cooking areas, each with radiating elements of 4 kW and controlled by a power regulator. 6 mm glass ceramic hob, hermetically sealed to the worktop. Maximum temperature 400 °C in 3 minutes. Dimensions of the plate are 750x700 mm. Hot areas are closed by screen printing on the glass and equipped with indication lamps for residual heat. Indicator lamps verify that the appliance functions properly.



RANGE	CODE	MODEL	FUNCTION
MI - 110	CRI3O586O	NVIO9E	Glassceramic Ranges

ITEM

Pass through 4 ceramic hotplate electric boiling top



INSTALLATION SPECIFICATIONS

(E) Electrical Connection: VAC400 3N 50Hz

